


What is claimed is:

1. A compound of the Formula I, and/or a pharmaceutically acceptable salt, hydrate, solvate, or pro-drug thereof,

5



I

wherein:

- 10 R is selected from: hydrogen, aryl, substituted aryl, cycloalkyl, substituted cycloalkyl, C₁₋₆alkyl and substituted C₁₋₆alkyl;

R¹⁰ is selected from: hydrogen, C₁₋₆alkyl, -(CH₂)_mOH and -(CH₂)_mCOOH,


where m is 0 to 6;

Y is selected from: =O, =S and =NR¹¹,


- 15 where R¹¹ is selected from: hydrogen, C₁₋₆alkyl, -(CH₂)_pOH and -(CH₂)_pCOOH,

where p is 0 to 6; and

Q is a radical or substituted radical of the formula,



or




20

in which Z is N or C-R²;

wherein R² is hydrogen, -NH₂, -C₁₋₆alkyl, substituted -C₁₋₆alkyl, -CF₃,

aryl or a radical or substituted radical of the formula

25




wherein R^5 is selected from: hydrogen, $-C_{1-6}$ alkyl and substituted $-C_{1-6}$ alkyl; and

R^3 is hydrogen, $-C_{1-6}$ alkyl, substituted $-C_{1-6}$ alkyl or C_{3-12} cycloalkyl; and

5 R^1 is hydrogen, $-C_{1-6}$ alkyl, substituted $-C_{1-6}$ alkyl, amino, mono substituted amino, disubstituted amino and trifluoromethyl.

2. A compound of claim 1, wherein the compound is a compound of Formula III



III

wherein:

R is selected from: hydrogen, C_1 - C_{12} aryl, substituted C_1 - C_{12} aryl, cycloalkyl,

substituted cycloalkyl, C_{1-6} alkyl, $-(CH_2)_n-NR^kR^h$, $-C(=NH)NH_2$,
 $-(CH_2)_2N(CH_3)_2$, $-C(=O)CH_3$, $-(CH_2)_2OCH_3$, $-(CH_2)_2OH$, $-(CH_2)_2C(CH_3)_3$
 and $-(CH_2)CH(CH_3)_2$, $-C(=O)Ph$, $-C(=O)CH_2NHBOC$, $-(CH_2)_2CH(CH_3)_2$,
 where n is 0 to 6, and

5 R^k and R^h are independently selected from hydrogen, C_{1-6} alkyl and substituted
 C_{1-6} alkyl;

R^{10} is selected from: hydrogen, C_{1-6} alkyl, $-(CH_2)_mOH$ and $-(CH_2)_mCOOH$,


where m is 0 to 6;

Y is selected from: $=O$, $=S$ and $=NR^{11}$,

10 where R^{11} is selected from: hydrogen, C_{1-6} alkyl, $-(CH_2)_pOH$ and
 $-(CH_2)_pCOOH$,

where p is 0 to 6; and

Q is a radical of the formula,




in which Z is N or $C-R^2$;

wherein R^2 is hydrogen, $-NH_2$, $-C_{1-6}$ alkyl, substituted $-C_{1-6}$ alkyl, $-CF_3$, aryl

or a radical of the formula

20




wherein R^5 is selected from: hydrogen, $-C_{1-6}$ alkyl and substituted $-C_{1-6}$ alkyl; and

R^3 is hydrogen, $-C_{1-6}$ alkyl, substituted $-C_{1-6}$ alkyl or C_{3-12} cycloalkyl; and

5 R^1 is hydrogen, $-C_{1-6}$ alkyl, substituted $-C_{1-6}$ alkyl, amino, mono substituted amino, disubstituted amino and trifluoromethyl, and/or a pharmaceutically acceptable salt, hydrate, solvate, or pro-drug thereof.

3. A compound of claim 1, wherein the compound is a compound of Formula IV


10



IV

in which


R is



5


in which the phenyl radical is optionally and independently substituted with up to three substituents selected from: halogen, $-C_{1-6}$ alkyl, $-OC_{1-6}$ alkyl, $-CF_3$, $-CN$, $-CO_2H$, $-SO_2NH_2$, $-CONH_2$; or

R is a radical of the formula




10

Q is a radical of the formula




15 in which Z is N or C-R2;

wherein R2 is hydrogen, $-NH_2$, $-C_{1-6}$ alkyl, $-CF_3$, or a radical of the formula



R3 is -C₁₋₆ alkyl, or a radical of the formula



n equals zero to two;


w equals one to two; and

R1 is -C₁₋₆alkyl,

and/or a pharmaceutically acceptable salt, hydrate, solvate, or pro-drug thereof.

4. A compound of claim 3 in which R is phenyl optionally and independently substituted with up to three substituents selected from: hydrogen, -C₁₋₆alkyl, -OC₁₋₆alkyl, -CF₃, -CN, -CO₂H, -SO₂NH₂ and -CONH₂.


5. A compound of claim 4 in which R is



in which X is halogen or CF₃; and Y is hydrogen, halogen, -C₁₋₆alkyl, -OC₁₋₆alkyl, -CF₃, -CN, -CO₂H, -SO₂NH₂, -CONH₂.

10

6. A compound of claim 5 in which Q is



15 in which R₄ is methyl or hydrogen, and W is O or N-R₁, in which R₁ is -C₁₋₆alkyl.

7. A method of inhibiting hYAK3 in a mammal; comprising, administering to the mammal a therapeutically effective amount of a compound of claim 1, 2, 3, 4, 5, or 6 or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof

20

8. A method of treating or preventing diseases of the erythroid and hematopoietic systems, caused by the hYAK3 imbalance or inappropriate activity; comprising, administering to a mammal a therapeutically effective amount of a compound of claim 1, 2, 3, 4, 5, or 6 or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

25

9. A method of claim 8 in which diseases of the erythroid and hematopoietic systems are selected from the group consisting of: anemia, aplastic anemia, myelodysplastic syndrome, myelosuppression, and cytopenia.

30

10. A method of treating or preventing diseases selected from the group consisting of: anemia, aplastic anemia, myelodysplastic syndrome, myelosuppression, and cytopenia; comprising, administering to a mammal a therapeutically effective amount of a compound of claim 1, 2, 3, 4, 5 or 6 or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

11. A pharmaceutical composition including a therapeutically effective amount of a compound claim 1, 2, 3, 4, 5 or 6 or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

12. A compound of claim 1 selected from the group consisting of:

(5Z)-2-[(2-Chlorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,6-difluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,4-dimethylphenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-2-{[2-(methyloxy)phenyl]amino}-1,3-thiazol-4(5H)-one;

(5Z)-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-2-{[2-(trifluoromethyl)phenyl]amino}-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-[(1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2-Chlorophenyl)-amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)-methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-2-[(2,6-difluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;

(5Z)-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-2-[(2,4-dimethylphenyl)am

- ino]-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-[(1,2-dimethyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
5 (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
10 (5Z)-2-[(2-chloro-4-fluorophenyl)amino]-5-({1-[2-(4-morpholinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
15 (5Z)-2-[(2,4-difluorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-5-({1-[2-(dimethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-2-(phenylamino)-1,3-thiazol-4(5H)-one;
20 (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(diethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(diethylamino)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[3-(4-morpholinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
25 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[3-(4-morpholinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[3-(4-methyl-1-piperazinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
30 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[3-(4-methyl-1-piperazinyl)propyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(1-pyrrolidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
(5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(1-pyrrolidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
35 (5Z)-2-[(2-chlorophenyl)amino]-5-({1-[2-(1-piperidinyl)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;

- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(1-piperidiny)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-difluorophenyl)amino]-5-({1-[2-(1-piperidiny)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- 5 (5Z)-2-[(2-Chlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,4-difluorophenyl)amino]-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- 10 (5Z)-5-({1-[2-(dimethylamino)ethyl]-2-methyl-1H-benzimidazol-6-yl}methylidene)-2-(phenylamino)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-{{1-(2-hydroxyethyl)-2-methyl-1H-benzimidazol-6-yl}methylidene}-1,3-thiazol-4(5H)-one;
- 15 (5Z)-2-[(2-chlorophenyl)amino]-5-({2-methyl-1-[2-(1-piperidiny)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({2-methyl-1-[2-(1-piperidiny)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-difluorophenyl)amino]-5-({2-methyl-1-[2-(1-piperidiny)ethyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- 20 (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-methyl-2-{{2-(4-morpholinyl)ethyl}amino}-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-2-{{2-(4-morpholinyl)ethyl}amino}-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,4-difluorophenyl)amino]-5-[(1-methyl-2-{{2-(4-morpholinyl)ethyl}amino}-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- 25 (5Z)-2-[(2-chlorophenyl)amino]-5-[(2-{{2-(dimethylamino)ethyl}amino}-1-methyl-1H-benzimidazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2-chlorophenyl)amino]-5-({2-[(2-hydroxyethyl)amino]-1-methyl-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- 30 (5Z)-2-[(2-chlorophenyl)amino]-5-{{1-methyl-2-(4-morpholinylmethyl)-1H-benzimidazol-6-yl}methylidene}-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-{{1-methyl-2-(4-morpholinylmethyl)-1H-benzimidazol-6-yl}methylidene}-1,3-thiazol-4(5H)-one;
- 35 (5Z)-2-[(2-chlorophenyl)amino]-5-({1-methyl-2-[(4-methyl-1-piperazinyl)methyl]-1H-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5H)-one;
- (5Z)-2-[(2,6-dichlorophenyl)amino]-5-({1-methyl-2-[(4-methyl-1-piperazinyl)methyl]-

- 1H-benzimidazol-6-yl)methylidene)-1,3-thiazol-4(5H)-one;
 (5Z)-2-[(2-Chlorophenyl)-amino]-5-[[1-methyl-2-(trifluoromethyl)-1H-benzimidazol-6-yl]-methylidene}-1,3-thiazol-4(5H)-one;
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[1-methyl-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
 5 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[1-[2-(dimethylamino)ethyl]-2-(trifluoromethyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
 (5Z)-2-[(2-chlorophenyl)amino]-5-[[2-(1,1-dimethylethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
 10 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[[2-(1,1-dimethylethyl)-1-methyl-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;
 (5Z)-2-[(2-Chlorophenyl)amino]-5-[(1-methyl-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-methyl-1H-1,2,3-benzotriazol-6-yl)methylidene]-1,3-thiazol-4(5H)-one;
 15 (5Z)-2-[(2-chlorophenyl)amino]-5-[(1-[2-(dimethylamino)ethyl]-1H-1,2,3-benzotriazol-6-yl)methylidene)-1,3-thiazol-4(5H)-one;
 (5Z)-2-[(2,6-dichlorophenyl)amino]-5-[(1-[2-(dimethylamino)ethyl]-1H-1,2,3-benzotriazol-6-yl)methylidene)-1,3-thiazol-4(5H)-one;
 20 2-(2,6-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;
 2-(2,6-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;
 2-(2-Fluoro-phenylimino)-5-(2-methyl-benzooxazol-6-yl-methylene)-thiazolidin-4-one;
 25 ;
 2-(2-Chloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
 2-(2-Trifluoromethyl-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
 2-(2,4-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
 30 one;
 2-(2,5-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
 2-(2,4-Dimethyl-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
 35 2-(4-Cyano-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
 4-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-benzoic acid;

- 2-(2,4-Dichloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(2,5-Difluoro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 5 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-phenylimino-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-(2-piperidin-1-yl-ethylimino)-thiazolidin-4-one;
- 2-(2-Methoxy-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 10 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-(3-morpholin-4-yl-propylimino)-thiazolidin-4-one;
- 3-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-benzenesulfonamide;
- 2-(4-Hydroxy-butylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one
- 15 ;
- 2-(trans-4-Hydroxy-cyclohexylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-phenethylimino-thiazolidin-4-one;
- 4-{2-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-ethyl}-benzenesulfonamide;
- 20 2-(2-Benzo[1,3]dioxol-5-yl-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(4-Chloro-phenylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 5-(2-Methyl-benzooxazol-6-ylmethylene)-2-(pyridin-3-ylimino)-thiazolidin-4-one;
- 25 3-[5-(2-Methyl-benzooxazol-6-ylmethylene)-4-oxo-thiazolidin-2-ylideneamino]-benzamide;
- 2-(2-Hydroxy-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 2-(1-Hydroxymethyl-2-phenyl-ethylimino)-5-(2-methyl-benzooxazol-6-ylmethylene)-thiazolidin-4-one;
- 30 N-{6-[2-(2-Bromo-phenylimino)-4-oxo-thiazolidin-5-ylidenemethyl]-1H-benzimidazol-2-yl}-2-dimethylamino-acetamide;
- Methyl (5-{(Z)-[2-[(2-bromophenyl)amino]-4-oxo-1,3-thiazol-5(4H)-ylidene]methyl}-1H-benzimidazol-2-yl)carbamate;
- 35 (5Z)-2-[(2-chlorophenyl)amino]-5-{[1-(3,3-dimethylbutyl)-1H-benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5H)-one;

- (5*Z*)-2-[(2,6-dichlorophenyl)amino]-5-[[1-(3,3-dimethylbutyl)-1*H*benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5*H*)-one, trifluoroacetate salt;
- (5*Z*)-5-[[1-(2-cyclopropylethyl)-1*H*benzimidazol-6-yl]methylidene}-2-[(2,6-difluorophenyl)amino]-1,3-thiazol-4(5*H*)-one;
- 5 (5*Z*)-5-[[1-(2-cyclohexylethyl)-1*H*benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5*H*)-one, trifluoroacetate salt;
- (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[(2-phenyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one, piperidine salt;
- (5*Z*)-2-[(2-chlorophenyl)amino]-5-[[1-(2-cyclopropylethyl)-1*H*benzimidazol-6-yl]methylidene}-1,3-thiazol-4(5*H*)-one;
- 10 (5*Z*)-5-[[1-(2-cyclopropylethyl)-1*H*benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5*H*)-one;
- (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(1-methylethyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;
- 15 (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(2-methylpropyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one, piperidine salt;
- (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(3-pyridinyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;
- (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(hydroxymethyl)-1*H*benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;
- 20 (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(2-hydroxyethyl)-1*H*benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;
- (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(2-pyridinyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;
- 25 (5*Z*)-5-[[1-(2-cyclopentylethyl)-1*H*benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5*H*)-one;
- (5*Z*)-2-[(2-chlorophenyl)amino]-5-[[1-(2-cyclopentylethyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazol-4(5*H*)-one;
- (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[(2-methyl)-1*H*benzimidazol-6-yl]methylidene]-1,3-thiazolidin-4-one;
- 30 (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[2-(4-pyridinyl)-1*H*benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;
- (2*Z*,5*Z*)-5-[[1-(2-cyclopropylethyl)-2-(3-pyridinyl)-1*H*benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)imino]-1,3-thiazolidin-4-one;
- 35 (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-[[1-methyl-2-(3-pyridinyl)-1*H*benzimidazol-5-yl]methylidene]-1,3-thiazolidin-4-one;
- (2*Z*,5*Z*)-5-[[2-(aminomethyl)-1*H*benzimidazol-5-yl]methylidene}-2-[(2,6-dichloro

phenyl)imino]-1,3-thiazolidin-4-one;

(2*Z*,5*Z*)-5-(1*H*-benzimidazol-5-ylmethylidene)-2-[(2,6-dichlorophenyl)imino]-1,3-thiazolidin-4-one;

5 (2*Z*,5*Z*)-2-[(2,6-dichlorophenyl)imino]-5-{[2-(hydroxymethyl)-1-methyl-1*H*-benzimidazol-6-yl]methylidene}-1,3-thiazolidin-4-one;

(5*Z*)-2-[(2,6-dichlorophenyl)amino]-5-({1-[2-(3-pyridinyl)ethyl]-1*H*-benzimidazol-6-yl}methylidene)-1,3-thiazol-4(5*H*)-one;

(5*Z*)-5-{[1-(cyclopropylmethyl)-1*H*-benzimidazol-6-yl]methylidene}-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5*H*)-one;

10 (5*Z*)-5-[(1-cyclopentyl-1*H*-benzimidazol-6-yl)methylidene]-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5*H*)-one; and

(5*Z*)-5-(1,3-Benzoxazol-6-ylmethylidene)-2-[(2,6-dichlorophenyl)amino]-1,3-thiazol-4(5*H*)-one;

and/or a pharmaceutically acceptable salt, hydrate, solvate or pro-drug thereof.

15